

#	DATE:	DESCRIPTION:
1	3/8/17	ADD Q2
2	3/15/17	ADD Q3

**BUILDING PACKAGE  
BID SET**

McLean County

### Law and Justice Center Expansion

104 W Front St.  
Bloomington, Illinois

DATE: 3/20/17

DESIGN/DRAWN: SMM/LRB


REVIEWED: JEB/MJB

**FIRST FLOOR  
PARTITION AND  
DIMENSION PLAN**

SHEET NO. 02 OF 02

### A1.1.3#

PROJECT NO.: 0161574.00



## KEY PLAN

SCALE NO SCALE



	NORTH
--	-------

### FIRST FLOOR PARTITION AND DIMENSION PLAN


Scale:  $1/8" = 1'-0"$

**ATTORNEY'S CERTIFICATE**

I, the undersigned, am County Law & Justice Clerk - District Court - Orleans County, N.H. - 03827-4 COURT.







PLAN KEYNOTES (BY DIVISION)

DIVISION 03 - CONCRETE

03-01 RAISE FLOOR OF ROOM TO MATCH CORRIDOR LANDING ELEVATION (APPROXIMATELY 3' 30" ABOVE EXISTING SECOND FLOOR) WITH STANDARD WEIGHT CONCRETE

03-02 TOP OF SHOWER FLOOR DRAIN + 3/8" BELOW ADJACENT FINISHED FLOOR SLOPE CONCRETE FLOOR IN SHOWER TO DRAIN (1:50 SLOPE MAXIMUM)

DIVISION 04 - MASONRY

04-01 NEW 8" CMU ENCLOSURE AROUND NEW DIVISION 23 FPPING

04-02 REPLACE 6" CMU AFTER MEP WORK UNDER LANDING IS COMPLETE (1 HR MIN)

DIVISION 05 - METALS

05-01 STEEL LADDER PER SPEC SECTION 05500. SPANS FROM SECOND OR THIRD FLOOR TO 3'-6" ABOVE THE MEZZANINE LEVEL ABOVE.

05-02 AT LOCATIONS IN CHASE THAT PROVIDE LESS THAN 16" CLEAR WIDTH, PROTECT STRUCTURAL FRAMES FIREPROOFING BETWEEN 24" AND 34" ABOVE FLOOR WITH 20 GA BREAK METAL

DIVISION 08 - OPENINGS

08-01 NEW INSULATED ALUMINUM CURTAIN DOOR, BOTH DOOR AND HOUSING CAPABLE OF RESISTING THE PASSAGE OF SMOKE, DOOR TO LOWER UPON ACTIVATION OF BUILDING FIRE SUPPRESSION SYSTEM OR FIRE ALARM

08-02 NEW DETENTION ALUMINUM WINDOWS

08-03 NEW INSULATED ALUMINUM CURTAIN WALL SYSTEM

08-04 WALL AND OPENINGS ADJACENT TO BRIDGE TO RESIST THE PASSAGE OF SMOKE PER IRC SECTION 3104.5 EXCEPTION 1

08-05 NEW HOLLOW METAL DOOR AND FRAME

08-06 POWER DOOR PUSH BUTTON ACTUATOR

08-07 WALL MOUNT ACCESS PANEL, SIZE IN INCHES SPECIFIED NEXT TO KEYNOTE

DIVISION 09 - FINISHES

09-02 PAINT AND WALL BASE, SEE FINISH SCHEDULE

09-03 PATCH AND REPAIR WALL AND FLOOR

09-04 INFILL WALL AND PREP FOR NEW DOOR AND FRAME

09-05 NEW CMU WALLS AND RESINOUS EPOXY FINISH ON FLOORS AND WALLS OF SHOWERS, COORDINATE WITH PLUMBING SCOPE OF WORK, DELETE BY BID ALTERNATE B

09-06 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO ENTRY FLOOR


09-07 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO FIRST FLOOR

DIVISION 12 - FURNISHINGS

12-01 72" x 18" x 18", POWDER COAT, 12 GA STEEL BENCH WITH CUFF RINGS BOLTED TO FLOOR


12-02 96" x 18" x 18", POWDER COAT, 12 GA STEEL BENCH WITH CUFF RINGS BOLTED TO FLOOR

NOTE: NOT ALL KEYNOTES APPLY TO EVERY SHEET



**Farnsworth GROUP**  
200 W. COLLEGE AVENUE, SUITE 301  
NORWALK, ILLINOIS 61751  
(815) 443-8436 / info@fng.com

www.fng.com  
Engineers | Architects | Surveyors | Scientists



Hellmuth, Obata + Kassabaum, Inc.  
60 East Van Buren Street, 14th Floor  
Chicago, IL 60605 USA  
t+1 312 782 1000 f+1 312 782 6727

NO.	DATE:	DESCRIPTION:
1	3/1/17	ADD 01
2	3/9/17	ADD 02

**BUILDING PACKAGE BID SET**

PROJECT:  
McLean County

**Law and Justice Center Expansion**

104 W Front St.  
Bloomington, Illinois

DATE: 3/20/17  
DESIGN/DRAWN: SMM/LRB  
REVIEWED: JEB/MJB


DATE FINAL:


**SECOND FLOOR PARTITION AND DIMENSION PLAN**

SHEET NUMBER:  
**A1.2.3#**


PROJECT NO.: 0161574.00

SEE SHEET A1.2.1 FOR TYPICAL PLAN GENERAL NOTES






PLAN KEYNOTES (BY DIVISION)	
DIVISION 03 - CONCRETE	
03-01	RAISE FLOOR OF ROOM TO MATCH CORRIDOR LANDING ELEVATION (APPROXIMATELY 5'30" ABOVE EXISTING SECOND FLOOR) WITH STANDARD WEIGHT CONCRETE
03-02	TOP OF SHOWER FLOOR DRAIN - 3/8" BELOW ADJACENT FINISHED FLOOR. SLOPE CONCRETE FLOOR IN SHOWER TO DRAIN (1:20 SLOPE MAXIMUM)
DIVISION 04 - MASONRY	
04-01	NEW 6" CMU ENCLOSURE AROUND NEW DIVISION 23 PIPING.
04-02	REPLACE 6" CMU AFTER MEP WORK UNDER LANDING IS COMPLETE (1 HR. MIN).
DIVISION 05 - METALS	
05-01	STEEL LADDER PER SPEC SECTION 05200. 8" SPACING FROM SECOND OR THIRD FLOOR TO 3'-0" ABOVE THE MEZZANINE LEVEL ABOVE.
05-02	AT LOCATIONS IN CHASE THAT PROVIDE LESS THAN 15' CLEAR WIDTH, PROTECT STRUCTURAL FRAME FIREPROOFING BETWEEN 24" AND 54" ABOVE FLOOR WITH 26 GA BREAK METAL.
DIVISION 06 - OPENINGS	
06-01	NEW INSULATED ALUMINUM COILING DOOR. BOTH DOOR AND HOUSING CAPABLE OF RESISTING THE PASSAGE OF SMOKE. DOOR TO LOWER UPON ACTIVATION OF BUILDING FIRE SUPPRESSION SYSTEM OR FIRE ALARM.
06-02	NEW DETENTION ALUMINUM WINDOWS.
06-03	NEW INSULATED ALUMINUM CURTAIN WALL SYSTEM.
06-04	WALL AND OPENINGS ADJACENT TO BRIDGE TO RESIST THE PASSAGE OF SMOKE PER IBC SECTION 704.5 EXCEPTION 1
06-05	NEW HOLLOW METAL DOOR AND FRAME.
06-06	POWER DOOR PUSH BUTTON ACTUATOR
06-07	WALL MOUNT ACCESS PANEL. SIZE IN INCHES SPECIFIED NEXT TO KEYNOTE.
DIVISION 09 - FINISHES	
09-02	PAINT AND WALL BASE. SEE FINISH SCHEDULE.
09-03	PATCH AND REPAIR WALL AND FLOOR.
09-04	INFILL WALL AND PREP FOR NEW DOOR AND FRAME.
09-05	NEW CMU WALLS AND RESINOUS EPOXY FINISH ON FLOORS AND WALLS OF SHOWERS. COORDINATE WITH PLUMBING SCOPE OF WORK. DELETE BY BID ALTERNATE 1.
09-06	PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO ENTRY FLOOR.
09-07	PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO FIRST FLOOR.
DIVISION 12 - FURNISHINGS	
12-01	72" x 18" x 16" H. POWDER COAT, 12 GA STEEL BENCH WITH CLIFF RINGS BOLTED TO FLOOR.
12-02	81" x 18" x 16" H. POWDER COAT, 12 GA STEEL BENCH WITH CLIFF RINGS BOLTED TO FLOOR.
NOTE:	NOT ALL KEYNOTES APPLY TO EVERY SHEET



**Farnsworth GROUP**  
200 W. COLLEGE AVENUE, SUITE 301  
NORMAL, ILLINOIS 61761  
(815) 463-3436 / info@fng.com

www.fng.com  
Engineers | Architects | Surveyors | Scientists



Hillmuth, Obata + Kassabaum, Inc.  
80 East Van Buren Street, 14th Floor  
Chicago, IL 60605 USA  
(+1) 312 782 1000 (+1) 312 782 6727

**BUILDING PACKAGE BID SET**

Project:  
McLean County

**Law and Justice Center Expansion**


104 W Front St.  
Bloomington, Illinois

DATE: 3/20/17  
DESIGNED/DRAWN: SM/MJLB  
REVIEWED: JEB/MJB

MEET DATE:  
**SECOND FLOOR MEZZANINE PARTITION AND DIMENSION PLAN**

SHEET NUMBER:  
**A1.2.4#**

PROJECT NO.: 0161574.00



**PLAN KEYNOTES (BY DIVISION)**

**DIVISION 03 - CONCRETE**  
03-01 RAISE FLOOR OF ROOM TO MATCH CORRIDOR LANDING ELEVATION (APPROXIMATELY 5' 3/8" ABOVE EXISTING SECOND FLOOR) WITH STANDARD WEIGHT CONCRETE.  
03-02 TOP OF SHOWER FLOOR DRAIN = 3/8" BELOW ADJACENT FINISHED FLOOR. SLOPE CONCRETE FLOOR IN SHOWER TO DRAIN (1:60 SLOPE MAXIMUM).

**DIVISION 04 - MASONRY**  
04-01 NEW 6" CMU ENCLOSURE AROUND NEW DIVISION 23 PIPING.  
04-02 REPLACE 6" CMU AFTER MEP WORK UNDER LANDING IS COMPLETE (1 HR. MFR).


**DIVISION 05 - METALS**  
05-01 STEEL LADDER PER SPEC SECTION 05500. SPANS FROM SECOND OR THIRD FLOOR TO 3'-6" ABOVE THE MEZZANINE LEVEL ABOVE.  
05-02 AT LOCATIONS IN CHASE THAT PROVIDE LESS THAN 18" CLEAR WIDTH, PROTECT STRUCTURAL FRAME FIREPROOFING BETWEEN 24" AND 34" ABOVE FLOOR WITH 25 GA BREAK METAL.

**DIVISION 08 - OPENINGS**  
08-01 NEW INSULATED ALUMINUM COILING DOOR, BOTH DOOR AND HOUSING CAPABLE OF RESISTING THE PASSAGE OF SMOKE. DOOR TO LOWER UPON ACTIVATION OF BUILDING FIRE SUPPRESSION SYSTEM OR FIRE ALARM.  
08-02 NEW DETENTION ALUMINUM WINDOWS.  
08-03 NEW INSULATED ALUMINUM CURTAIN WALL SYSTEM.  
08-04 WALL AND OPENINGS ADJACENT TO BRIDGE TO RESIST THE PASSAGE OF SMOKE PER IBC SECTION 704.3 EXCEPTION 1.  
08-05 NEW HOLLOW METAL DOOR AND FRAME.  
08-06 POWER DOOR PUSH BUTTON ACTUATOR.  
08-07 WALL MOUNT ACCESS PANEL. SIZE IN INCHES SPECIFIED NEXT TO KEYNOTE.


**DIVISION 09 - FINISHES**  
09-02 PAINT AND WALL BASE. SEE FINISH SCHEDULE.  
09-03 PATCH AND REPAIR WALL AND FLOOR.  
09-04 INFILL WALL AND PREP FOR NEW DOOR AND FRAME.  
09-05 NEW CMU WALLS AND RESINOUS EPOXY FINISH ON FLOORS AND WALLS OF SHOWERS. COORDINATE WITH PLUMBING SCOPE OF WORK. DELETE BY BID ALTERNATE 6.  
09-06 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO ENTRY FLOOR.  
09-07 PHOTOLUMINESCENT EGRESS ARROWS CONTINUED ON OUTSIDE WALL OF STAIR LEADING TO FIRST FLOOR.

**DIVISION 12 - FURNISHINGS**  
12-01 72" x 18" x 18", POWDER COAT, 12 GA. STEEL BENCH WITH CUFF RINGS BOLTED TO FLOOR.  
12-02 80" x 18" x 18", POWDER COAT, 12 GA. STEEL BENCH WITH CUFF RINGS BOLTED TO FLOOR.

**NOTE:**  
NOT ALL KEYNOTES APPLY TO EVERY SHEET



**Farnsworth GROUP**  
200 W. COLLEGE AVENUE, SUITE 301  
NORMAL, ILLINOIS 61761  
(309) 663-8436 / info@f-w.com  
www.f-w.com  
Engineers | Architects | Surveyors | Scientists



Helmuth, Obata + Kassabaum, Inc.  
60 East Van Buren Street, 14th Floor  
Chicago, IL 60605 USA  
t +1 312 762 1600 f +1 312 762 6727

**BUILDING PACKAGE BID SET**

PROJECT:  
McLean County

**Law and Justice Center Expansion**

104 W Front St.  
Bloomington, Illinois

DATE: 3/20/17  
DESIGNED/DRAWN: SMML/RB  
REVIEWED: JES/MJB

SHEET TITLE:  
**THIRD FLOOR PARTITION AND DIMENSION PLAN**

SHEET NUMBER:  
**A1.3.3#**

PROJECT NO.: 0151574.00



**Farnsworth**  
GROUP

200 W. COLLEGE AVENUE, SUITE 301  
NORMAL, ILLINOIS 61761  
(309) 663-8136 / info@f-w.com

www.f-w.com  
Engineers | Architects | Surveyors | Scientists



Helmut Obata + Karszenbaum, Inc.  
60 East Van Buren Street, 14th Floor  
Chicago, IL 60605 USA  
t +1 312 782 1000 f +1 312 782 6727

# DATE: DESCRIPTION:

BUILDING PACKAGE  
BID SET

McLean County

Law and Justice  
Center Expansion


104 W Front St.  
Bloomington, Illinois

DATE: 3/20/17  
DESIGNED/DRAWN: SMM/LRB  
REVIEWED: JEB/MJB

THIRD FLOOR  
MEZZANINE  
PARTITION AND  
DIMENSION PLAN

**A1.3.4#**


PROJECT NO: 0151674.00



**1 THIRD FLOOR MEZZANINE PARTITION AND DIMENSION PLAN**

Scale: 1/8" = 1'-0"

SEE SHEET A1.0.1 FOR TYPICAL PLAN GENERAL NOTES



KEY PLAN

SCALE: NO SCALE



TRUE NORTH